

**Connector for LLE FLEX IP67 EXC2**

Modules LLE FLEX excite



**Product description**

- \_ For connection of LLE FLEX IP67 EXC2 modules
- \_ I rated = 4.4 A
- \_ Wire cross section AWG 18
- \_ For assembly please refer to the application note


**Website**

<http://www.tridonic.com/28003270>




**Connector for LLE FLEX IP67 EXC2**


Modules LLE FLEX excite



ACL plug connector Wire-PCB IP67 right



ACL plug connector Wire-PCB IP67 left



ACL plug interconnector IP67

**Ordering data**

Type	Article number	Delivery content per piece	Packaging, carton	Weight per pc.
<b>ACL plug connector Wire-PCB IP67 R EXC2</b>	<b>28003270</b>	10 input connector R, 10 tube sets, 10 end caps, 25 plugs, 1 silicone tube	10 pc(s).	0.180 kg
<b>ACL connector Wire-PCB IP67 R 2pc EXC2</b>	<b>28003301</b>	2 input connector R, 2 tube sets, 2 end caps, 4 plugs, 1 silicone tube	50 pc(s).	0.047 kg
<b>ACL plug connector Wire-PCB IP67 L EXC2</b>	<b>28003271</b>	10 input connector L, 10 tube sets, 10 end caps, 25 plugs, 1 silicone tube	10 pc(s).	0.180 kg
<b>ACL connector Wire-PCB IP67 L 2pc EXC2</b>	<b>28003302</b>	2 input connector L, 2 tube sets, 2 end caps, 4 plugs, 1 silicone tube	50 pc(s).	0.047 kg
<b>ACL plug interconnector IP67 EXC2</b>	<b>28003272</b>	10 interconnectors, 10 tube sets, 25 plugs, 1 silicone tube	10 pc(s).	0.095 kg
<b>ACL plug end cap IP67 EXC2</b>	<b>28003273</b>	20 end caps, 25 plugs, 1 silicone tube	10 pc(s).	0.030 kg