

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2005176-1
Report Reference E329074-20201103
Date 24-Dec-2020

Issued to: TRIDONIC GmbH & Co KG
Faerbergasse 15 Dornbirn
Austria 6851

**This is to certify that
representative samples of**

IFDR - Low-voltage Lighting Systems, Power Units,
Luminaires and Fittings
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 2108, 2nd Ed., Issue Date: 2015-12-07, Revision Date:
2019-12-06

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2005176-1
Report Reference E329074-20201103
Date 24-Dec-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<p>LLE FLEX G2, LLE FLEX AAW BBBBIm/m CCC IP67 EXC2, Where: AA can be 5W, 11W or 16W and indicates rated power of the product per meter. BBBB can be any number and indicates light flux of the product per meter. It can be 600lm/m, 1200lm/m, 1800lm/m. CCC can be any number and indicates the colour rendering index + correlated colour temperature.</p>	Low Voltage Lighting Systems



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2003567-1
Report Reference E329074-20201103
Date 24-Dec-2020

Issued to: TRIDONIC GmbH & Co KG
Faerbergasse 15 Dornbirn
Austria 6851

This is to certify that representative samples of IFDR7 - Low-voltage Lighting Systems, Power Units, Luminaires and Fittings Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.2, 1st Ed., Issue Date: 2020-01-01

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2003567-1
Report Reference E329074-20201103
Date 24-Dec-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<p>LLE FLEX G2, LLE FLEX AAW BBBBIm/m CCC IP67 EXC2, Where:</p> <p>AA can be 5W, 11W or 16W and indicates rated power of the product per meter.</p> <p>BBBB can be any number and indicates light flux of the product per meter. It can be 600lm/m, 1200lm/m, 1800lm/m.</p> <p>CCC can be any number and indicates the colour rendering index + correlated colour temperature.</p>	Low Voltage Lighting Systems



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

