



中国国家强制性产品认证证书

证书编号：2017011002996682

发证日期：2023年10月30日

有效期至：2027年06月26日

| | |
|---------------------------|--|
| 认证委托人名称 及注册地址 | 锐高照明电子（上海）有限公司 中国（上海）自由贸易试验区富特北路215号第二层F12部位 |
| 产品生产者名称 及注册地址 | 锐高照明电子（上海）有限公司 中国（上海）自由贸易试验区富特北路215号第二层F12部位 |
| 生产企业名称 及生产地址 | 锐高照明电子（深圳）有限公司 深圳市龙华区观澜街道库坑社区泗黎路硅谷动力第三园区130号A3栋厂房6一层二层 |
| 产品名称和系列、 规格、型号 | LED模块用交流电子控制装置（LED控制装置，独立式，恒流模式，安全特低电压， $t_a:50^{\circ}\text{C}$ ， $t_c:85^{\circ}\text{C}$ ，II类，IP20，适宜直接安装在普通可燃材料表面，定温热保护： 110°C ） 见附件。220-240V~50/60Hz |
| 产品标准和 技术要求 | GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009 |

上述产品符合 CNCA-C10-01:2014 认证规则的要求，特发此证。

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2017年08月24日

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站（www.cnca.gov.cn）查验证书信息



签发：

谢肇煦



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017011002996682

Valid from: Oct.30,2023

Valid until:Jun.26,2027

**NAME AND REGISTERED
ADDRESS OF THE APPLICANT**

Tridonic (Shanghai) Co., Ltd.
F12, 2nd Floor, No.215, North Fute Road, China (Shanghai) Pilot Free Trade Zone, Shanghai City,
P.R.China

**NAME AND REGISTERED
ADDRESS OF THE
MANUFACTURER**

Tridonic (Shanghai) Co., Ltd.
F12, 2nd Floor, No.215, North Fute Road, China (Shanghai) Pilot Free Trade Zone, Shanghai City,
P.R.China

**NAME AND LOCATION
OF THE FACTORY**

TridonicAtco (Shenzhen) Co., Ltd.
1-2F, Block6, Building A3, No.130, Park 3 Silicon Valley Power Ind., Si Li Road, Ku Keng Community,
Guanlan Street, Long Hua District, Shenzhen, P.R.China

PRODUCT MODEL(S)

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV,
ta:50°C, tc:85°C, ClassII, IP20, Suitable For Direct Mounting On Normally Flammable Material,
Temperature Declared Thermally Protected: 110°C)
See Appendix. 220-240V ~ 50/60Hz

**STANDARDS AND
TECHNICAL REQUIREMENTS**

GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Aug.24,2017

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

证书编号：2017011002996682

第 1 页 共 1 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：

| 序号 | 产品型号 | 参数 |
|-----|----------------------------|---|
| 1. | LC 40/1050/39 fixC SR SNC2 | Max. 60Vdc, 1050mA(恒流); 配套光源: Max. 41W LED 模块, tc: 85°C |
| 2. | LC 30/350/86 fixC SR SNC2 | Max. 100Vdc, 350mA(恒流); 配套光源: Max. 30.1W LED 模块, tc: 75°C |
| 3. | LC 30/500/54 fixC SR SNC2 | Max. 60Vdc, 500mA(恒流); 配套光源: Max. 27W LED 模块, tc: 75°C |
| 4. | LC 30/600/50 fixC SR SNC2 | Max. 60Vdc, 600mA(恒流); 配套光源: Max. 30W LED 模块, tc: 75°C |
| 5. | LC 30/700/43 fixC SR SNC2 | Max. 60Vdc, 700mA(恒流); 配套光源: Max. 30.1W LED 模块, tc: 80°C |
| 6. | LC 35/800/43 fixC SR SNC2 | Max. 60Vdc, 800mA(恒流); 配套光源: Max. 34.4W LED 模块, tc: 85°C |
| 7. | LC 35/900/39 fixC SR SNC2 | Max. 60Vdc, 900mA(恒流); 配套光源: Max. 35.1W LED 模块, tc: 85°C |
| 8. | LC 40/700/54 fixC SR SNC2 | Max. 60Vdc, 700mA(恒流); 配套光源: Max. 37.8W LED 模块, tc: 85°C |
| 9. | LC 40/800/50 fixC SR SNC2 | Max. 60Vdc, 800mA(恒流); 配套光源: Max. 40W LED 模块, tc: 85°C |
| 10. | LC 40/900/45 fixC SR SNC2 | Max. 60Vdc, 900mA(恒流); 配套光源: Max. 40.5W LED 模块, tc: 80°C |
| 11. | LC 30/350/86 fixC SC SNC2 | Max. 100Vdc, 350mA(恒流); 配套光源: Max. 30.1W LED 模块, tc: 75°C |
| 12. | LC 30/500/54 fixC SC SNC2 | Max. 60Vdc, 500mA(恒流); 配套光源: Max. 27W LED 模块, tc: 75°C |
| 13. | LC 30/600/50 fixC SC SNC2 | Max. 60Vdc, 600mA(恒流); 配套光源: Max. 30W LED 模块, tc: 75°C |
| 14. | LC 30/700/43 fixC SC SNC2 | Max. 60Vdc, 700mA(恒流); 配套光源: Max. 30.1W LED 模块, tc: 80°C |
| 15. | LC 35/800/43 fixC SC SNC2 | Max. 60Vdc, 800mA(恒流); 配套光源: Max. 34.4W LED 模块, tc: 85°C |
| 16. | LC 35/900/39 fixC SC SNC2 | Max. 60Vdc, 900mA(恒流); 配套光源: Max. 35.1W LED 模块, tc: 85°C |
| 17. | LC 40/700/54 fixC SC SNC2 | Max. 60Vdc, 700mA(恒流); 配套光源: Max. 37.8W LED 模块, tc: 85°C |
| 18. | LC 40/800/50 fixC SC SNC2 | Max. 60Vdc, 800mA(恒流); 配套光源: Max. 40W LED 模块, tc: 85°C |
| 19. | LC 40/900/45 fixC SC SNC2 | Max. 60Vdc, 900mA(恒流); 配套光源: Max. 40.5W LED 模块, tc: 80°C |
| 20. | LC 40/1050/39 fixC SC SNC2 | Max. 60Vdc, 1050mA(恒流); 配套光源: Max. 41W LED 模块, tc: 85°C |
| 21. | LC 45/1050/43 fixC SR SNC2 | Max. 60Vdc, 1050mA(恒流); 配套光源: Max. 45.2W LED 模块, tc: 90°C |

输入：220-240V~ 50/60Hz



中国质量认证中心