



# 产品认证证书

证书编号: CQC22010353994

发证日期: 2024 年 07 月 25 日  
有效期至: 2027 年 08 月 03 日

委托人名称 及注册地址	锐高照明电子(上海)有限公司 中国(上海)自由贸易试验区富特北路 215 号第二层 F12 部位
制造商名称 及注册地址	锐高照明电子(上海)有限公司 中国(上海)自由贸易试验区富特北路 215 号第二层 F12 部位
生产企业名称 及生产地址	锐高照明电子(深圳)有限公司 深圳市龙华区观澜街道库坑社区泗黎路硅谷动力第三园区 130 号 A3 栋厂房 6 一层二层
产品名称和系列、 规格、型号	灯具用电源导轨系统(导轨接合器(II类),集成 LED 模块用交流电子控制装置, ta: 35°C) 见附件。220-240V~ 50/60Hz
产品标准和技术要求	GB/T 13961-2008;GB 17625.1-2022;GB/T 17743-2021;GB 7000.1-2015
认证模式	产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC12-465431-2018 认证规则的要求,特发此证。

本证书为变更证书,证书首次颁发日期:2022 年 08 月 04 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC22010353994

Valid from: Jul.25,2024

Valid until:Aug.03,2027

<b>NAME AND REGISTERED ADDRESS OF THE APPLICANT</b>	Tridonic (Shanghai) Co., Ltd. F12, 2nd Floor, No.215, North Fute Road, China (Shanghai) Pilot Free Trade Zone, Shanghai City, P.R.China
<b>NAME AND REGISTERED ADDRESS OF THE MANUFACTURER</b>	Tridonic (Shanghai) Co., Ltd. F12, 2nd Floor, No.215, North Fute Road, China (Shanghai) Pilot Free Trade Zone, Shanghai City, P.R.China
<b>NAME AND LOCATION OF THE FACTORY</b>	TridonicAtco (Shenzhen) Co., Ltd. 1-2F, Block6, Building A3, No.130, Park 3 Silicon Valley Power Ind., Si Li Road, Ku Keng Community, Guanlan Street, Long Hua District, Shenzhen, P.R.China
<b>PRODUCT NAME, MODEL AND SPECIFICATION</b>	Electrical Supply Track System For Luminaires (Track Coupler ( ClassII ) , Integrated With A.C. Supplied Electronic Controlgear For LED Modules, ta:35°C) See Appendix. 220-240V~ 50/60Hz
<b>THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS</b>	GB/T 13961-2008;GB 17625.1-2022;GB/T 17743-2021;GB 7000.1-2015
<b>TYPE OF CERTIFICATION SCHEMES</b>	Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC12-465431-2018.

Date of original issued: Aug.04,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through the QR code below or CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



SIGNATURE:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.  
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666  
<http://www.cqc.com.cn>



# 产品认证证书

证书编号: CQC22010353994

第 1 页 / 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

序号	产品型号	使用的LED控制装置	外壳颜色
1	LC 42/900-1050/ 40 flexC T-W SNC3	型号: LC 42/900-1050/40 flexC T-W SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.8C-0.97 输出: 900/950/1000/ 1050mA (恒流, 拨码开关调节 电流), U-OUT=60Vdc, 配套光源: Max.42W LED模块, SELV, tc: 75/80°C	白
2	LC 42/900-1050/ 40 flexC T-B SNC3	型号: LC 42/900-1050/40 flexC T-B SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.8C-0.97 输出: 900/950/1000/ 1050mA (恒流, 拨码开关调节 电流), U-OUT=60Vdc, 配套光源: Max.42W LED模块, SELV, tc: 75/80°C	黑
3	LC 42/900-1050/ 40 flexC T-G SNC3	型号: LC 42/900-1050/40 flexC T-G SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.8C-0.97 输出: 900/950/1000/ 1050mA (恒流, 拨码开关调节 电流), U-OUT=60Vdc, 配套光源: Max.42W LED模块, SELV, tc: 75/80°C	灰
4	LC 34/650-800/42 flexC T-W SNC3	型号: LC 34/650-800/42 flexC T-W SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.8C-0.96 输出: 650/700/750/ 900mA(恒流, 拨码开关调节电流), U-OUT=60Vdc, 配套光源: Max.34W LED模块, SELV, tc: 60/65°C	白
5	LC 34/650-800/42 flexC T-B SNC3	型号: LC 34/650-800/42 flexC T-B SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.8C-0.96 输出: 650/700/750/ 900mA(恒流, 拨码开关调节电流), U-OUT=60Vdc, 配套光源: Max.34W LED模块, SELV, tc: 60/65°C	黑
6	LC 34/650-800/42 flexC T-G SNC3	型号: LC 34/650-800/42 flexC T-G SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.8C-0.96 输出: 650/700/750/ 900mA(恒流, 拨码开关调节电流), U-OUT=60Vdc, 配套光源: Max.34W LED模块, SELV, tc: 60/65°C	灰



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE



# 产品认证证书

证书编号: CQC22010353994

第 2 页 / 共 2 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

7	LC 25/450-600/42 flexC T-W SNC3	型号: LC 25/450-600/42 flexC T-W SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.83C-0.96 输出: 450/500/550/ 600mA( 恒流, 拨码开关调节电流 ), U-OUT=60Vdc, 配套光源: Max.25W LED模块, SELV, tc: 60/65/70°C	白
8	LC 25/450-600/42 flexC T-B SNC3	型号: LC 25/450-600/42 flexC T-B SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.83C-0.96 输出: 450/500/550/ 600mA( 恒流, 拨码开关调节电流 ), U-OUT=60Vdc, 配套光源: Max.25W LED模块, SELV, tc: 60/65/70°C	黑
9	LC 25/450-600/42 flexC T- G SNC3	型号: LC 25/450-600/42 flexC T-G SNC3 输入: 220-240V~, 50/60Hz, $\lambda$ : 0.83C-0.96 输出: 450/500/550/ 600mA( 恒流, 拨码开关调节电流 ), U-OUT=60Vdc, 配套光源: Max.25W LED模块, SELV, tc: 60/65/70°C	灰
输入: 220-240V~, 50/60Hz			



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE