

OVE Austrian Electrotechnical Association
Eschenbachgasse 9 | 1010 Wien | Austria
ZVR: 327279890 | www.ove.at



OVE Certification
Kahlenberger Str. 2A | 1190 Wien | Austria
T +43 1 370 58 06 | certification@ove.at

ENEC Certification Body registered under ID # 11.

Validity of ENEC Licences can be checked at www.enec.com

LICENCE

to use the European Mark



Licence No.: **7590-279**

Date of issue: Wien, 2020 11 17
Rev. No.: 07 Wien, 2026 02 12

OVE the Austrian Electrotechnical Association as signatory to the **"Agreement on the use of a commonly agreed Mark of Conformity for certain electrical equipment complying with European Standards"** hereby grants the right to label the products mentioned hereunder and listed in the Annex with the Mark(s) shown above to the following company

Licensee: **Tridonic GmbH & Co KG**
Färbergasse 15
6851 Dornbirn
Austria

Product: **LED modules for general lighting**

Trade Mark: **TRIDONIC**

Series/Type: **LLE .. FLEX CC...**

Basis for this given right is the conformity of the products with the requirements of the relevant Standard(s) as listed in the Annex and the fulfilment of articles 8 and 9 of the ENEC-Agreement by the manufacturer. This licence refers to the tested specimen and to all products manufactured strictly identical to the submitted one.

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

Österreichischer Verband für Elektrotechnik
Head of OVE Certification

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



<i>Hersteller Manufacturer</i>	Tridonic Jennersdorf Tridonic GmbH & Co KG Technologiepark 10 8380 Jennersdorf Austria
<i>Fertigungsstätte(n) Factory location(s)</i>	ID: 7590
* <i>Typenbezeichnung Type reference</i>	Series LLE FLEX CC 14x140R.. 1250 ... T ADV2, Series LLE G2 FLEX CC 8x99R.. 3000LM ... MOO, Series LLE G3 FLEX CC 8x99R.. 3000LM 9.. MOO, Series LLE FLEX CC 14x140R.. 1250 ... T EXC, see pages 4 to 11
* <i>Prüfbericht Test Report</i>	TGM-VA EE 35497L ECS, TR 66301-0020-01 ECS, TR 66301-0053-01 ECS, TR 66301-0053-01b ECS, TR 66301-0059-01 ECS, TR 66301-0066-01 ECS
<i>Nationale Bestimmung(en) National Standard(s)</i>	OVE EN IEC 62031:2020-09-01 OVE EN IEC 62031/A11:2022-08-01
<i>Europannorm(en) European Standard(s)</i>	EN IEC 62031:2020 EN IEC 62031:2020/A11:2021
* <i>Ersatz für Zertifikat Superseded licence</i>	7590-279 Rev. 06 dated 2025 07 21 Items modified are marked with an asterisk (*)
* <i>Anmerkung(en) Remark(s)</i>	Classification according EN 62471:2008: for type LLE FLEX CC 14x140...ADV2R ... RG1 for type LLE G2 FLEX CC 8x99R ... RG0 for type LLE G3 FLEX CC 8x99R ... RG0 for type LLE FLEX CC 14x140R...EXC ... RG1

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.


* <i>Bemessungsstrom</i> <i>Rated supply current</i>	see pages 5 to 11
* <i>Nennleistung</i> <i>Rated power</i>	see pages 5 to 11
<i>Zulässige Arbeitsspannung</i> <i>Working voltage for insulation</i>	DC 60 V SELV
* <i>Max. Betriebstemperatur tc</i> <i>Rated max. operating temperature tc</i>	see pages 5 to 11
<i>Anschlussart</i> <i>Method of connection</i>	Soldering pads or screwless terminals
<i>Beschreibung des Aufbaus</i> <i>Description of construction</i>	Built-in LED modules, constant current type.
<i>Zusatzinformation</i> <i>Additional information</i>	For types LLE FLEX CC ...: Separable each 140 mm with the full function of each segment and has a self-adhesive 3M tape at the backside for mounting on different surfaces. For types LLE G2 FLEX CC ... MOO: Separable each 99 mm with the full function of each segment and has a self-adhesive 3M tape at the backside for mounting on different surfaces.

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode:

LLE FLEX CC 14x140R.. 1250T ADV2



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typelist:

TRADEMARK / TYPECODE			Forward voltage (U _F) ¹	Supply current ¹	Power ¹	No. of LEDs per segment	Rated max. operating temperature t _c
Type Reference			[V]	[mA]	[W/m]		[°C]
1	LLE FLEX CC 14x140R.. 1250T ADV2	rated	44,38	75	3,33	16	80
		max.	47,20	180	8,50		


¹ Rated values at t_p = 55°C

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode:

LLE G2 FLEX CC 8x99R..LM ... MOO



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typelist:

TRADEMARK / TYPECODE			Forward voltage (U _F) ²	Supply current ²	Power ²	No. of LEDs per segment	Rated max. operating temperature t _c
Type Reference			[V]	[mA]	[W/m]		[°C]
1	LLE G2 FLEX CC 8x99R.. 3000LM ... MOO	rated	37,07	45	1,67	14	75
		max.	39,70	60	2,38		

² Rated values at t_p = 65°C

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode:

LLE G3 FLEX CC 8x99R..LM ... MOO

	Customer MOO ... MOOS licht AG
	Photometric code CRI 90, max. 6500K (e.g. 930)
	Luminous flux per meter 3000
	Product dimension [mm] 8x99 (R.. finished good length on reel in meter)
	Supply type CC ... constant current
	Product type FLEX
	Product generation G3
	Product shape LLE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typelist:

TRADEMARK / TYPECODE			Forward voltage (U _F) ³	Supply current ³	Power ³	No. of LEDs per segment	Rated max. operating temperature t _c
Type Reference			[V]	[mA]	[W/m]		[°C]
1	LLE G3 FLEX CC 8x99R.. 3000LM 9.. MOO	rated	36,53	45	1,64	14	75
		max.	36,87	60	2,21		


³ Rated values at t_p = 65°C

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode:

LLE FLEX CC 14x140R.. 1250T EXC



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typelist:

TRADEMARK / TYPECODE			Forward voltage (U _F) ⁴	Supply current ⁴	Power ⁴	No. of LEDs per segment	Rated max. operating temperature t _c	
Type Reference			[V]	[mA]	[W/m]		[°C]	
*	1	LLE FLEX CC 14x140R.. 1250T EXC	rated	43,09	75	3,23	16	80
			max.	47,63	180	8,58		

⁴ Rated values at t_p = 55°C

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.