

**OVE Austrian Electrotechnical Association**  
Eschenbachgasse 9 | 1010 Wien | Austria  
ZVR: 327279890 | www.ove.at



**OVE Certification**  
Kahlenberger Str. 2A | 1190 Wien | Austria  
T +43 1 370 58 06 | certification@ove.at

ENEC Certification Body registered under ID # 11.

Validity of ENEC Licences can be checked at [www.enec.com](http://www.enec.com)

# LICENCE

to use the European Mark



Licence No.: **7590-346**

Date of issue: Wien, 2023 09 21  
Rev. No.: 06 Wien, 2026 03 11

OVE the Austrian Electrotechnical Association as signatory to the **"Agreement on the use of a commonly agreed Mark of Conformity for certain electrical equipment complying with European Standards"** hereby grants the right to label the products mentioned hereunder and listed in the Annex with the Mark(s) shown above to the following company

Licensee: **Tridonic GmbH & Co KG**  
Färbergasse 15  
6851 Dornbirn  
Austria

Product: **Electronic control gears for LED-modules**

Trade Mark: **TRIDONIC**

Series/Type: **LC ... flexC. ... SNC4 ...**

Basis for this given right is the conformity of the products with the requirements of the relevant Standard(s) as listed in the Annex and the fulfilment of articles 8 and 9 of the ENEC-Agreement by the manufacturer. This licence refers to the tested specimen and to all products manufactured strictly identical to the submitted one.

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

**Österreichischer Verband für Elektrotechnik**  
Head of OVE Certification

Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer



## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



<i>Hersteller Manufacturer</i>	<b>Tridonic GmbH &amp; Co KG Färbergasse 15 6851 Dornbirn Austria</b>
<i>Fertigungsstätte(n) Factory location(s)</i>	<b>ID: 7590  ID: 87468  ID: 40926</b>
<i>* Typenbezeichnung Type reference</i>	<b>LC 20/200-350/67 flexCC Ip SNC4 LC 20/200-350/67 flexCC Ip SNC4 CCT LC 40/200-350/133 flexCC Ip SNC4 LC 40/200-350/133 flexCC Ip SNC4 CCT LC 60/200-350/200 flexCC Ip SNC4 LC 60/200-350/200 flexCC Ip SNC4 CCT LC 75/350-500/216 flexCC Ip SNC4 LC 75/350-500/216 flexCC Ip SNC4 CCT LC 60/175-350/200 flexC SNC4 CPD LC 16/110-250/64 flexCC Ip SNC4 LC 45/135-290/154 flexCC Ip SNC4 LC 15/200-350/43V flexC Ip SNC4 LC 15/200-350/43V flexC Ip SNC4 CCT see pages 4 to 5</b>
<i>* Prüfbericht Test Report</i>	<b>TR 87837-0097-01 ECS, TR 87837-0097-01a ECS, TR 87837-0097-02 ECS, TR 87837-0097-02a ECS, TR 87837-0098-01 ECS, TR 87837-0098-02 ECS, TR 87837-0099-01 ECS, TR 87837-0099-02 ECS, TR 87837-0099-01a ECS, TR 87837-0099-01b ECS, TR 87837-0099-02a ECS, TR 87837-0099-02b ECS, TR 87837-0108-01 ECS, TR 87837-0108-02 ECS, TR 87837-0201-01 ECS, TR 87837-0201-02 ECS</b>
<i>Nationale Bestimmung(en) National Standard(s)</i>	<b>OVE EN 61347-1:2021-09-01 OVE EN 61347-2-13:2017-11-01 OVE EN IEC 62384:2021-04-01</b>
<i>Europannorm(en) European Standard(s)</i>	<b>EN 61347-1:2015 + A1:2021 EN 61347-2-13:2014 + A1:2017 EN IEC 62384:2020</b>
<i>* Ersatz für Zertifikat Superseded licence</i>	<b>7590-346 Rev. 05 dated 2025 08 04 Items modified are marked with an asterisk (*)</b>
<i>Anmerkung(en) Remark(s)</i>	<b>--</b>

## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



<i>Bemessungsversorgungsspannung</i> <i>Rated supply voltage</i>	<b>AC 220-240 V, 50/60 Hz</b>
<i>Bemessungsausgangsstrom (I<sub>rated</sub>)</i> <i>Rated output current (I<sub>rated</sub>)</i>	<b>see pages 4 to 5</b>
<i>Höchste Arbeitsspannung (U-OUT)</i> <i>Maximum working voltage (U-OUT)</i>	<b>see pages 4 to 5</b>
<i>Nennleistung</i> <i>Rated power</i>	<b>see pages 4 to 5</b>
<i>Max. Betriebstemperatur t<sub>c</sub></i> <i>Rated max. operating temperature t<sub>c</sub></i>	<b>see pages 4 to 5</b>
<i>Umgebungstemperatur t<sub>a</sub></i> <i>Rated ambient temperature t<sub>a</sub></i>	<b>see pages 4 to 5</b>
<i>Maximale Gehäusetemperatur</i> <i>Maximum case temperature</i>	<b>110°C</b>
<i>Kurzschlußschutz</i> <i>Short-circuit protection</i>	<b>Short circuit proof control gear</b>
<i>Klassifikation</i> <i>Classification</i>	<b>Built-in electronic controlgears, constant current type</b>

## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

TRADEMARK / TYPECODE		Classification B...Built-in I...Independent	Rated output current	Maximum output voltage (no-load)	Rated output power	Rated max. operating temperature (tc) <sup>1</sup>	Maximum ambient temperature (ta)	Maximum case temperature	Circuit power factor (230V, 50Hz, full load)	Case
TRIDONIC										Metal (M) Plastic (P)
			[mA]	[V]	[W]	[°C]	[°C]	[°C]	λ	
1	LC 20/200-350/67 flexCC Ip SNC4	B	200/250/ 300/350	250	20,3	75/80	60	110	0,6C-0,96	M
2	LC 20/200-350/67 flexCC Ip SNC4 CCT	B	200/250/ 300/350	250	20,3	75/80	60	110	0,6C-0,96	M
3	LC 40/200-350/133 flexCC Ip SNC4	B	200/250/ 300/350	250	39,9	75/80	60	110	0,7C-0,97	M
4	LC 40/200-350/133 flexCC Ip SNC4 CCT	B	200/250/ 300/350	250	39,9	75/80	60	110	0,7C-0,97	M
5	LC 60/200-350/200 flexCC Ip SNC4	B	200/250/ 300/350	250	61,25	75/80/85	60	110	0,8C-0,98	M
6	LC 60/200-350/200 flexCC Ip SNC4 CCT	B	200/250/ 300/350	250	61,25	75/80/85	60	110	0,8C-0,98	M
7	LC 75/350-500/216 flexCC Ip SNC4	B	350/400/ 450/500	300	75,6	73/75/78	60	110	0,9C-0,98	M
8	LC 75/350-500/216 flexCC Ip SNC4 CCT	B	350/400/ 450/500	300	75,6	73/75/78	60	110	0,9C-0,98	M

### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

TRADEMARK / TYPECODE		Classification B...Built-in I...Independent	Rated output current	Maximum output voltage (no-load)	Rated output power	Rated max. operating temperature (tc) <sup>1</sup>	Maximum ambient temperature (ta)	Maximum case temperature	Circuit power factor (230V, 50Hz, full load)	Case
TRIDONIC										Metal (M) Plastic (P)
			[mA]	[V]	[W]	[°C]	[°C]	[°C]	λ	
9	LC 60/175-350/200 flexC SNC4 CPD	B	175/250/ 300/350	250	61,25	85	60	110	0,75C-0,98	M
10	LC 16/110-250/64 flexCC Ip SNC4	B	110/170/ 190/250	250	3 - 16	73	60	110	0,5C-0,93C	M
11	LC 45/135-290/154 flexCC Ip SNC4	B	135/195/ 235/290	250	11 - 45	75	60	110	0,65C-0,96	M
*	12 LC 15/200-350/43V flexC Ip SNC4	B	200/250/ 300/350	250	4 - 15	70	60	110	0,6C-0,96	M
*	13 LC 15/200-350/43V flexC Ip SNC4 CCT	B	200/250/ 300/350	250	4 - 15	70	60	110	0,6C-0,96	M

<sup>1</sup> Depending on selected output current, see label or datasheet

### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.