

Certificate of Compliance

Certificate Number(s):

UL-US-2595663-1

Report Reference:

E365703-20251210

Issue Date:

2026-01-29

Issued to:

TRIDONIC GmbH & Co KG
Faerbergasse 15, Dornbirn, 6851, AT

This certificate confirms that representative samples of:

OOQA2 - Light-emitting-diode Arrays - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 8750, Edition 2, Issue Date 2015-09-15, Revision Date 2024-08-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-2595663-1
Report reference: E365703-20251210
Issue Date: 2026-01-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

LED Arrays, Modules, and Controllers

Model(s): LLE 24x1120mm AAAAlm BBB DL PRE CCCCCC Where:

LLE Designates product family – Linear Light Engine

24x****mm

20x****mm Designates dimensions

AAAAlm Represents the light flux of the product (3 or 4 alphanumeric character combination)

BBBBBBB (alphanumeric character combination)

represents the colour rendering index + correlated colour temperature (3 digits for static white or 7 digits for tuneable white)

DL Dark Light

EXC

PRE Represents different quality layer (alphanumeric character combination)

CCCCCC Optional: Terminal variant + additional information (alphanumeric character combination)(can be 0 or 7 digits)

Model(s): LLE 24x560mm AAAAlm BBB DL EXC CCCCCC, LLE 24x280mm AAAAlm BBB DL EXC CCCCCC, LLE 24x140mm AAAAlm BBB DL PRE CCCCCC, LLE 20x280mm AAAAlm BBB DL EXC CCCCCC, LLE 24x1120mm AAAAlm BBB DL EXC CCCCCC, LLE 24x140mm AAAAlm BBB DL EXC CCCCCC, LLE 24x280mm AAAAlm BBB BBBB DL PRE CCCCCC, LLE 20x280mm AAAAlm BBB BBBB DL PRE CCCCCC, LLE 24x560mm AAAAlm BBB BBBB DL PRE CCCCCC Where:

LLE Designates product family – Linear Light Engine

24x****mm

20x****mm Designates dimensions

AAAAlm Represents the light flux of the product (3 or 4 alphanumeric character combination)

BBBBBBB (alphanumeric character combination)

represents the colour rendering index + correlated colour temperature (3 digits for static white or 7 digits for tuneable white)

DL Dark Light

EXC

PRE Represents different quality layer (alphanumeric character combination)

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-2595663-1
Report reference: E365703-20251210
Issue Date: 2026-01-29

CCCCCC 7 digits	<i>Optional: Terminal variant + additional information (alphanumeric character combination)(can be 0 or 7 digits)</i>
--------------------	---

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-2570123-1

Report Reference:

E365703-20251210

Issue Date:

2026-01-29

Issued to:

**TRIDONIC GmbH & Co KG
Faerbergasse 15, Dornbirn, 6851, AT**

This certificate confirms that representative samples of:

OOQA8 - Light-emitting-diode Arrays Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 250.13, Edition 5, Issue Date 2022-05

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-2570123-1
Report reference: E365703-20251210
Issue Date: 2026-01-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

LED Arrays, Modules, and Controllers

Model(s): LLE 24x1120mm AAAIm BBB DL PRE CCCCCC Where:
LLE Designates product family – Linear Light Engine

*24x****mm*
*20x****mm* Designates dimensions

AAAIm Represents the light flux of the product (3 or 4 alphanumeric character combination)

BBBBBB (alphanumeric character combination)
represents the colour rendering index + correlated colour temperature (3 digits for static white or 7 digits for tuneable white)

DL Dark Light

EXC
PRE Represents different quality layer (alphanumeric character combination)

CCCCCC Optional: Terminal variant + additional information (alphanumeric character combination)(can be 0 or 7 digits)

Model(s): LLE 24x560mm AAAIm BBB DL EXC CCCCCC, LLE 24x280mm AAAIm BBB DL EXC CCCCCC, LLE 24x140mm AAAIm BBB DL PRE CCCCCC, LLE 20x280mm AAAIm BBB DL EXC CCCCCC, LLE 24x1120mm AAAIm BBB DL EXC CCCCCC, LLE 24x140mm AAAIm BBB DL EXC CCCCCC, LLE 24x280mm AAAIm BBB BBB DL PRE CCCCCC, LLE 20x280mm AAAIm BBB BBB DL PRE CCCCCC, LLE 24x560mm AAAIm BBB BBB DL PRE CCCCCC Where:
LLE Designates product family – Linear Light Engine

*24x****mm*
*20x****mm* Designates dimensions

AAAIm Represents the light flux of the product (3 or 4 alphanumeric character combination)

BBBBBB (alphanumeric character combination)
represents the colour rendering index + correlated colour temperature (3 digits for static white or 7 digits for tuneable white)

DL Dark Light

EXC
PRE Represents different quality layer (alphanumeric character combination)

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-2570123-1
Report reference: E365703-20251210
Issue Date: 2026-01-29

CCCCCC
7 digits)

Optional: Terminal variant + additional information (alphanumeric character combination)(can be 0 or