

OVE Austrian Electrotechnical Association
Eschenbachgasse 9 | 1010 Wien | Austria
ZVR: 327279890 | www.ove.at



OVE Certification
Kahlenberger Str. 2A | 1190 Wien | Austria
T +43 1 370 58 06 | certification@ove.at

ENEC Certification Body registered under ID # 11.

Validity of ENEC Licences can be checked at www.enec.com

LICENCE

to use the European Mark



Licence No.: **7590-369**

Date of issue: Wien, 2026 04 16
Rev. No.: 02 Wien, 2026 05 11

OVE the Austrian Electrotechnical Association as signatory to the **"Agreement on the use of a commonly agreed Mark of Conformity for certain electrical equipment complying with European Standards"** hereby grants the right to label the products mentioned hereunder and listed in the Annex with the Mark(s) shown above to the following company

Licensee: **Tridonic GmbH & Co KG**
Färbergasse 15
6851 Dornbirn
Austria

Product: **LED modules for general lighting**

Trade Mark: **TRIDONIC**

Series/Type: **LLE FLEX 8mm ... R..**

Basis for this given right is the conformity of the products with the requirements of the relevant Standard(s) as listed in the Annex and the fulfilment of articles 8 and 9 of the ENEC-Agreement by the manufacturer. This licence refers to the tested specimen and to all products manufactured strictly identical to the submitted one.

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

Österreichischer Verband für Elektrotechnik
Head of OVE Certification

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



<i>Hersteller Manufacturer</i>	Tridonic Jennersdorf Tridonic GmbH & Co KG Technologiepark 10 8380 Jennersdorf Austria
<i>Fertigungsstätte(n) Factory location(s)</i>	ID: 7590
* <i>Typenbezeichnung Type reference</i>	LLE FLEX 8mm 48V ... SNC3 R.. LLE FLEX 8mm 48V ... EXC3 R.. LLE FLEX 8mm 24V ... SNC5 R.. LLE FLEX 8mm 24V ... EXC5 R.. LLE FLEX 8mm 24V ... LIK1 R.. see pages 5 to 6
* <i>Prüfbericht Test Report</i>	TR 66301-0074-01 ECS, TR 66301-0075-01 ECS, TR 66301-0075-01a ECS
<i>Nationale Bestimmung(en) National Standard(s)</i>	OVE EN IEC 62031:2020-09-01 OVE EN IEC 62031/A11:2022-08-01
<i>Europannorm(en) European Standard(s)</i>	EN IEC 62031:2020 EN IEC 62031:2020/A11:2021
* <i>Ersatz für Zertifikat Superseded licence</i>	7590-369 Rev. 01 dated 2026 04 23 Items modified are marked with an asterisk (*)
<i>Anmerkung(en) Remark(s)</i>	--

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.


* <i>Bemessungsstrom</i> <i>Rated supply current</i>	see pages 5 to 6
* <i>Nennleistung</i> <i>Rated power</i>	see pages 5 to 6
<i>Zulässige Arbeitsspannung</i> <i>Working voltage for insulation</i>	DC <60V SELV
* <i>Max. Betriebstemperatur tc</i> <i>Rated max. operating temperature tc</i>	see pages 5 to 6
<i>Anschlussart</i> <i>Method of connection</i>	Solder pads for fix installation
<i>Beschreibung des Aufbaus</i> <i>Description of construction</i>	Built-in LED modules for general lighting, constant voltage type.
* <i>Zusatzinformation</i> <i>Additional information</i>	Classification according EN 62471:2008: RG0 (exempt group). for types LLE FLEX 8mm 24V ... LIK1 R.: RG1

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode:

LLE FLEX 8mm ..V ..Wlm R..



OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typelist:

Type reference		Rated max. operating temperature (tc)	Max. rated CCT		Supply voltage	Supply current	Power ¹
		[°C]	[K]		[V]	[mA]	[W]
1.	LLE FLEX 8mm 48V 8W 1200lm 8.. SNC3 R..	75	6500	rated	48	9,7	0,5
				max.	51	14,5	0,7
2.	LLE FLEX 8mm 48V 12W 1800lm 8.. SNC3 R..	75	6500	rated	48	14,5	0,7
				max.	51	22,1	1,1
3.	LLE FLEX 8mm 48V 17W 2500lm 8.. SNC3 R..	75	6500	rated	48	21,5	1,0
				max.	51	34,0	1,7
4.	LLE FLEX 8mm 48V 20W 3000lm 8.. SNC3 R..	75	6500	rated	48	25,0	1,2
				max.	51	39,9	2,0
5.	LLE FLEX 8mm 48V 26W 4000lm 8.. SNC3 R..	75	6500	rated	48	34,5	1,7
				max.	51	57,5	2,9
6.	LLE FLEX 8mm 48V 10W 1200lm 9.. SNC3 R..	75	6500	rated	48	11,5	0,6
				max.	51	17,3	0,9
7.	LLE FLEX 8mm 48V 14W 1800lm 9.. SNC3 R..	75	6500	rated	48	16,6	0,8
				max.	51	25,7	1,3
8.	LLE FLEX 8mm 48V 20W 2500lm 9.. SNC3 R..	75	6500	rated	48	23,0	1,1
				max.	51	36,7	1,9
9.	LLE FLEX 8mm 48V 22W 3000lm 9.. SNC3 R..	75	6500	rated	48	29,5	1,4
				max.	51	48,4	2,5
10.	LLE FLEX 8mm 48V 30W 4000lm 9.. SNC3 R..	75	6500	rated	48	36,5	1,8
				max.	51	61,6	3,1
11.	LLE FLEX 8mm 24V 3W 300lm 8.. SNC5 R..	75	6500	rated	24	5,0	0,12
				max.	26,4	6,9	0,18
12.	LLE FLEX 8mm 24V 5W 600lm 8.. SNC5 R..	75	6500	rated	24	10,39	0,25
				max.	26,4	13,63	0,36
13.	LLE FLEX 8mm 24V 9W 1200lm 8.. SNC5 R..	75	6500	rated	24	19,0	0,46
				max.	26,4	26,5	0,7
14.	LLE FLEX 8mm 24V 13W 1800lm 8.. SNC5 R..	75	6500	rated	24	27,65	0,66
				max.	26,4	38,8	1,02
15.	LLE FLEX 8mm 24V 19W 2500lm 8.. SNC5 R..	75	6500	rated	24	41,20	0,99
				max.	26,4	58,3	1,54

¹ at tp = 65° C

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Type reference		Rated max. operating temperature (tc)	Max. rated CCT		Supply voltage	Supply current	Power ¹
		[°C]	[K]		[V]	[mA]	[W]
*	16. LLE FLEX 8mm 24V 6W 600lm 9.. SNC5 R..	75	4000	rated	24	11,33	0,27
				max.	26,4	12,88	0,34
*	17. LLE FLEX 8mm 24V 11W 1200lm 9.. SNC5 R..	75	4000	rated	24	23,80	0,57
				max.	26,4	33,4	0,88
*	18. LLE FLEX 8mm 24V 16W 1800lm 9.. SNC5 R..	75	4000	rated	24	33,50	0,80
				max.	26,4	47	1,24
*	19. LLE FLEX 8mm 24V 22W 2500lm 9.. SNC5 R..	75	4000	rated	24	48,0	1,15
				max.	26,4	68	1,80
	20. LLE FLEX 8mm 24V 6W 600lm 9.. EXC5 R..	75	4000	rated	24	10,8	0,26
				max.	26,4	10,08	0,29
	21. LLE FLEX 8mm 24V 12W 1200lm 9.. EXC5 R..	75	6500	rated	24	23,60	0,57
				max.	26,4	23,6	0,62
	22. LLE FLEX 8mm 24V 18W 1800lm 9.. EXC5 R..	75	6500	rated	24	36,0	0,86
				max.	26,4	36,0	0,95
	23. LLE FLEX 8mm 24V 23W 2500lm 9.. EXC5 R..	75	6500	rated	24	47,0	1,13
				max.	26,4	47,0	1,24
	24. LLE FLEX 8mm 24V 10W 1200lm 8.. EXC5 R..	75	4000	rated	24	20,8	0,5
				max.	26,4	20,8	0,55
	25. LLE FLEX 8mm 24V 14W 1800lm 8.. EXC5 R..	75	4000	rated	24	27,4	0,66
				max.	26,4	27,4	0,72
	26. LLE FLEX 8mm 24V 20W 2500lm 8.. EXC5 R..	75	4000	rated	24	39,0	0,94
				max.	26,4	39,0	1,03
*	27. LLE FLEX 8mm 24V 5W 700lm 9.. LIK1 R..	75	2700-6500	rated	24	10,7	0,26
				max.	26,4	10,7	0,28
*	28. LLE FLEX 8mm 24V 12W 1800lm 9.. LIK1 R..	75	2700-6500	rated	24	27,10	0,65
				max.	26,4	27,10	0,72
*	29. LLE FLEX 8mm 24V 17W 2500lm 9.. LIK1 R..	75	2700-6500	rated	24	36,20	0,87
				max.	26,4	36,20	0,96

¹ at tp = 65° C

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.